



台灣公司 **TAIWAN OFFICE**


Yean Hern Corp. | 沅亨興業股份有限公司
No. 28, Heye 8th Rd., Daliao Dist., Kaohsiung City 831130, Taiwan
831130高雄市大寮區和業八路28號
T. +886-7-7874567 | F. +886-7-7887867
E. yeanhern@jpeyh.com

昆山公司 **KUNSHAN OFFICE**

JPE Yean Hern Co.,Ltd. | 沅亨流體科技(昆山)有限公司
No. 128, Qianan Rd., Dianshanhu Town, Kunshan City 215345, Jiangsu
Province, China | 215345江蘇省昆山市淀山湖鎮錢安路128號
T. +86-512-57489663 | F. +86-512-57489668
E. ksyh@jpeyh.com

張家港公司 **ZHANGJIAGANG OFFICE**


JPE Yean Hern Co.,Ltd. | 沅亨流體科技(張家港)有限公司
No.35, YueFeng Rd., Yangshe Town, Zhangjiagang City
215600,Jiangsu Province, China | 215600江蘇省張家港市楊
舍鎮悅豐路35號
T. +86-512-58797921 | F. +86-512-58267839
E. monica.ding@jpeyh.com



PIPE FITTING
管接頭



TURN PRESSURE
INTO **POWER**



螺紋接頭
PIPE FITTINGS 9

直接頭
STRAIGHT CONFIGURATIONS 10

六角雙外螺紋
HEX NIPPLE

異徑六角雙外螺紋
REDUCING HEX NIPPLE

六角雙內螺紋
HEX COUPLING

異徑六角雙內螺紋
REDUCING HEX COUPLING

六角卜申
REDUCING BUSHING

表接頭
REDUCING ADAPTER

堵頭
HEX PLUG

管牙插芯
HOSE ADAPTOR

排放保護塞頭
VENT PROTECTOR



彎頭
ELBOWS 14

雙內螺紋彎頭
FEMALE ELBOW

雙外螺紋彎頭
MALE ELBOW

內外螺紋彎頭
STREET ELBOW

異徑內外螺紋彎頭
REDUCING STREET ELBOW

45° 彎頭
45° ELBOWS 16

45° 內外螺紋彎頭
45° STREET ELBOW



三通
TEES 17

內螺紋三通
TEE

外螺紋三通
MALE TEE

中心外螺紋三通
BRANCH TEE

邊外螺紋三通
STREET TEE



JIC 37° (AN) 接頭 19

JIC 37° (AN) FLARE END FITTINGS



直接頭 20

STRAIGHTS

JIC 37°由任直接頭

JIC 37° EQUAL UNION

JIC 37°外螺紋直接頭

JIC 37° FLARED MALE CONNECTOR

JIC 37°內螺紋直接頭

JIC 37° FLARED FEMALE CONNECTOR



彎頭 22

ELBOWS

JIC 37°外螺紋彎接頭

JIC 37° FLARED MALE ELBOW

快擰式接頭 23

FAST-IN FITTING

直接頭 24


STRAIGHTS

快擰式外螺紋直接頭

FAST-IN MALE CONNECTOR

快擰式內螺紋直接頭

FAST-IN FEMALE CONNECTOR



彎頭 26

ELBOWS

快擰式外螺紋彎接頭

FAST-IN MALE ELBOW




THREAD FITTING ORDERING INFORMATION

螺紋接頭選型表


BS4 -	RHN	0203-	R
產品大類及材質	產品名稱	螺紋尺寸 A / B (英制)	螺紋種類
CLASSIFICATION & MATERIAL	PRODUCT NAME	THREAD SIZE A / B (FRACTIONAL)	THREAD TYPE
BS6:接頭類 SS316L SS316L FITTING	HN :六角雙外螺紋 HEX NIPPLE	01:1/8"	R:BSPT 螺紋 BSPT THREAD
BS4:接頭類 SS304 SS304 FITTING	RHN :異徑六角雙外螺紋 REDUCING HEX NIPPLE	02:1/4"	N:NPT 螺紋 NPT THREAD
BBR:接頭類 銅 C3604 / C3771 BRASS C3604 / C3771 FITTING	HCG :六角雙內螺紋 HEX COUPLING	03:3/8"	GP1:BSPP / G 螺紋 P1 型密封 G THREAD P1 TYPE
BS321:接頭類 SS321 SS321 FITTING	RHCG:異徑六角雙內螺紋 REDUCING HEX COUPLING	04:1/2"	GP2:BSPP / G 螺紋 P2 型密封 G THREAD P2 TYPE
BM400:接頭類 合金 M400 MONEL 400 FITTING	RB :六角卜申 REDUCING BUSHING	05:5/8"	GE:BSPP / G 螺紋 E 型密封 G THREAD E TYPE
BC276:接頭類 合金 C276 ALLOY C276 FITTING	RA :表接頭 REDUCING ADAPTER	06:3/4"	GS:BSPP / G 螺紋 S 型密封 G THREAD S TYPE
B2205:接頭類 雙相鋼 2205 DUPLEX 2205 FITTING	PTH :堵頭 HEX PLUG	08:1"	GO:BSPP / G 螺紋 O 型密封 G THREAD O TYPE
BBR0:接頭類 銅 C36000 BRASS C36000 FITTING	PN :管牙插芯 HOSE ADAPTOR		
	E :雙內螺紋彎頭 FEMALE ELBOW		
	MET :雙外螺紋彎頭 MALE ELBOW		
	SE :內外螺紋彎頭 STREET ELBOW		
	RSE :異徑內外螺紋彎頭 REDUCING STREET ELBOW		
	SEL :45° 內外螺紋彎頭 45° STREET ELBOW		
	T :內螺紋三通 TEE		
	MT :外螺紋三通 MALE TEE		
	BT :中心外螺紋三通 BRANCH TEE		
	ST :邊外螺紋三通 STREET TEE		
	RBW :排放保護塞頭 VENT PROTECTOR		

HN 六角雙外螺紋 HEX NIPPLE



英制 (FRACTIONAL)					
P MALE PT/NPT SIZE	PART NO.	A		E MIN OPENING	F HEX FLAT
		PT	NPT		
1/8	HN01	26.0	27.0	5.0	7/16
1/4	HN02	32.0	33.0	7.0	14
3/8	HN03	35.0	36.0	9.5	17
1/2	HN04	41.0	42.0	12.0	22
3/4	HN06	46.0	47.0	15.0	27
1	HN08	53.0	54.0	20.0	35


RHN 異徑六角雙外螺紋 REDUCING HEX NIPPLE



英制 (FRACTIONAL)						
P1 MALE PT/NPT SIZE	P2 MALE PT/NPT SIZE	PART NO.	A		E MIN OPENING	F HEX FLAT
			PT	NPT		
1/8	1/4	RHN0102	29.0	30.0	5.0	14
1/8	3/8	RHN0103	31.0	32.0	5.0	17
1/8	1/2	RHN0104	34.0	35.0	5.0	22
1/8	3/4	RHN0106	37.0	38.0	5.0	27
1/8	1	RHN0108	41.0	42.0	5.0	35
1/4	3/8	RHN0203	34.0	35.0	7.0	17
1/4	1/2	RHN0204	37.0	38.0	7.0	22
1/4	3/4	RHN0206	40.0	41.0	7.0	27
1/4	1	RHN0208	44.0	45.0	7.0	35
3/8	1/2	RHN0304	38.0	39.0	9.5	22
3/8	3/4	RHN0306	41.0	42.0	9.5	27
3/8	1	RHN0308	45.0	46.0	9.5	35
1/2	3/4	RHN0406	44.0	45.0	12.0	27
1/2	1	RHN0408	48.0	49.0	12.0	35
3/4	1	RHN0608	50.0	51.0	15.0	35


- 除非另有說明, 否則所有尺寸單位均為 mm。
- 數值若是分數, 表示其單位是 inch.
- 上述尺寸僅供參考, 修改不另行通知。
- ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.
- FRACTIONAL NUMBERS MEAN INCH SIZE.
- DIMENSIONS SHOWN ARE FOR REFERENCE ONLY AND SUBJECT TO CHANGE.

HCG
六角雙內螺紋
HEX COUPLING




英制 (FRACTIONAL)			
P FEMALE PT/NPT SIZE	PART NO.	A	F HEX FLAT
1/8	HCG01	21.0	14
1/4	HCG02	30.0	17
3/8	HCG03	33.0	22
1/2	HCG04	39.0	27
3/4	HCG06	40.0	32
1	HCG08	48.0	41

RB
六角卜申
REDUCING BUSHING




英制 (FRACTIONAL)						
P1 MALE PT/NPT SIZE	P2 FEMALE PT/NPT SIZE	PART NO.	A		E MIN OPENING	F HEX FLAT
			PT	NPT		
1/4	1/8	RB0201	19.0	20.0	7.0	14
3/8	1/8	RB0301	20.0	21.0	7.0	17
3/8	1/4	RB0302	20.0	21.0	9.5	17
1/2	1/8	RB0401	24.0	25.0	7.0	22
1/2	1/4	RB0402	24.0	25.0	9.5	22
1/2	3/8	RB0403	24.0	25.0	12.0	22
3/4	1/8	RB0601	27.0	28.0	7.0	27
3/4	1/4	RB0602	27.0	28.0	9.5	27
3/4	3/8	RB0603	27.0	28.0	12.0	27
3/4	1/2	RB0604	27.0	28.0	15.0	27
1	1/8	RB0801	31.0	32.0	7.0	35
1	1/4	RB0802	31.0	32.0	9.5	35
1	3/8	RB0803	31.0	32.0	12.0	35
1	1/2	RB0804	31.0	32.0	15.0	35
1	3/4	RB0806	31.0	32.0	20.0	35

RHCG
異徑六角雙內螺紋
REDUCING HEX COUPLING



英制 (FRACTIONAL)				
P2 FEMALE PT/NPT SIZE	P1 FEMALE PT/NPT SIZE	PART NO.	A	F HEX FLAT
1/8	1/4	RHCG0102	30.0	17
1/8	3/8	RHCG0103	32.0	22
1/8	1/2	RHCG0104	37.0	27
1/8	3/4	RHCG0106	40.0	32
1/8	1	RHCG0108	48.0	41
1/4	3/8	RHCG0203	32.0	22
1/4	1/2	RHCG0204	37.0	27
1/4	3/4	RHCG0206	40.0	32
1/4	1	RHCG0208	48.0	41
3/8	1/2	RHCG0304	37.0	27
3/8	3/4	RHCG0306	40.0	32
3/8	1	RHCG0308	48.0	41
1/2	3/4	RHCG0406	40.0	32
1/2	1	RHCG0408	48.0	41
3/4	1	RHCG0608	48.0	41


RA
表接頭
REDUCING ADAPTER



英制 (FRACTIONAL)					
P1 FEMALE PT/NPT SIZE	P2 MALE PT/NPT SIZE	PART NO.	A	E MIN OPENING	F HEX FLAT
1/8	1/8	RA0101	24.0	5.0	14
1/4	1/8	RA0201	26.0	5.0	17
1/4	1/4	RA0202	29.0	7.0	17
3/8	1/8	RA0301	27.0	5.0	22
3/8	1/4	RA0302	30.0	7.0	22
3/8	3/8	RA0303	31.0	9.5	22
1/2	1/8	RA0401	30.0	5.0	27
1/2	1/4	RA0402	33.0	7.0	27
1/2	3/8	RA0403	34.0	9.5	27
1/2	1/2	RA0404	37.0	12.0	27
3/4	1/8	RA0601	35.0	7.0	32
3/4	1/4	RA0602	36.0	9.5	32
3/4	3/8	RA0603	39.0	12.0	32
3/4	1/2	RA0604	41.0	15.0	32
1	1/4	RA0802	41.0	7.0	41
1	3/8	RA0803	42.0	9.5	41
1	1/2	RA0804	45.0	12.0	41
1	3/4	RA0806	47.0	15.0	41
1	1	RA0808	50.0	20.0	41


- 除非另有說明, 否則所有尺寸單位均為 mm。
- 數值若是分數, 表示其單位是 inch.
- 上述尺寸僅供參考, 修改不另行通知。
- ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.
- FRACTIONAL NUMBERS MEAN INCH SIZE.
- DIMENSIONS SHOWN ARE FOR REFERENCE ONLY AND SUBJECT TO CHANGE.

PTH
堵頭
HEX PLUG




英制 (FRACTIONAL)				
P MALE PT/NPT SIZE	PART NO.	A	F	
1/8	PTH01	16	7/16	
1/4	PTH02	20	14	
3/8	PTH03	21	17	
1/2	PTH04	25	22	
3/4	PTH06	27	27	
1	PTH08	32	35	

RBW
排放保護塞頭
VENT PROTECTOR




英制 (FRACTIONAL)				
P MALE PT/NPT SIZE	PART NO.	A	E	F
1/8	RBW01	16	5.0	12
1/4	RBW02	20	7.0	14
3/8	RBW03	21	9.5	17
1/2	RBW04	25	12.0	22
3/4	RBW06	27	15.0	27
1	RBW08	32	20.0	35

PN
管牙插芯
HOSE ADAPTOR



英制 (FRACTIONAL)						
P1 MALE PT/NPT SIZE	P2 HOSE SIZE	PART NO.	A	B	E	F
1/8	1/4	PN01R02	35	7.4	4	10
1/8	5/16	PN01R025	46	9.0	5	12
1/4	1/4	PN02R02	38	7.4	4	14
1/4	5/16	PN02R025	49	9.0	5	14
1/4	3/8	PN02R03	53	11.5	7.5	14
1/4	1/2	PN02R04	54	14.7	7	17
3/8	1/4	PN03R02	40	7.4	4	17
3/8	5/16	PN03R025	51	9.0	5	17
3/8	3/8	PN03R03	55	11.5	7.5	17
3/8	1/2	PN03R04	55	14.7	9	17
1/2	1/4	PN04R02	44	7.4	4	22
1/2	5/16	PN04R025	55	9.0	5	22
1/2	3/8	PN04R03	59	11.5	7.5	22
1/2	1/2	PN04R04	59	14.7	9	22
1/2	3/4	PN04R06	66	21.0	12	24
1/2	1	PN04R08	72	27.0	12	30
3/4	3/8	PN06R03	62	11.5	7.5	27
3/4	1/2	PN06R04	62	14.7	9	27
3/4	3/4	PN06R06	68	21.0	15	27
3/4	1	PN06R08	74	27.0	17	30
1	3/8	PN08R03	68	11.5	7.5	35
1	1/2	PN08R04	68	14.7	9	35
1	3/4	PN08R06	74	21.0	15	35
1	1	PN08R08	80	27.0	17	35


E
雙內螺紋彎頭
FEMALE ELBOW



英制 (FRACTIONAL)				
P FEMALE PT/NPT SIZE	PART NO.	A	E	F
1/8	E01	22.5	8.5	14
1/4	E02	26.5	11.0	17
3/8	E03	31.5	12.0	22
1/2	E04	36.5	18.0	27
3/4	E06	44.0	23.5	34
1	E08	53.0	29.0	50


- 除非另有說明, 否則所有尺寸單位均為 mm。
- 數值若是分數, 表示其單位是 inch.
- 上述尺寸僅供參考, 修改不另行通知。
- ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.
- FRACTIONAL NUMBERS MEAN INCH SIZE.
- DIMENSIONS SHOWN ARE FOR REFERENCE ONLY AND SUBJECT TO CHANGE.

MET
雙外螺紋彎頭
MALE ELBOW




英制 (FRACTIONAL)				
P MALE PT/NPT SIZE	PART NO.	A	E	F
1/8	MET01	18.5	5.0	12
1/4	MET02	22.5	7.0	14
3/8	MET03	26.5	9.5	17
1/2	MET04	31.5	12.0	22
3/4	MET06	36.6	15.0	27
1	MET08	45.5	20.0	34

RSE
異徑內外螺紋彎頭
REDUCING STREET ELBOW




英制 (FRACTIONAL)						
P2 FEMALE PT/NPT SIZE	P1 MALE PT/NPT SIZE	PART NO.	A1	A2	E	F
1/4	1/8	RSE0201	27.0	27.0	5.0	17
3/8	1/4	RSE0302	31.5	31.5	7.0	22
1/2	1/4	RSE0402	37.0	37.0	7.0	27
1/2	3/8	RSE0403	36.0	36.0	9.5	27
3/4	3/8	RSE0603	44.0	44.0	9.5	34
3/4	1/2	RSE0604	44.0	44.0	12.0	34

SE
內外螺紋彎頭
STREET ELBOW



英制 (FRACTIONAL)						
P FEMALE PT/NPT SIZE	P MALE PT/NPT SIZE	PART NO.	A1	A2	E	F
1/8	1/8	SE01	21.2	23.0	5.0	14
1/4	1/4	SE02	25.5	26.7	7.0	17
3/8	3/8	SE03	28.5	31.5	9.5	22
1/2	1/2	SE04	36.0	36.0	12.0	27
3/4	3/4	SE06	45.5	45.5	15.0	34

SEL
45° 內外螺紋彎頭
45° STREET ELBOW




英制 (FRACTIONAL)						
P FEMALE PT/NPT SIZE	P MALE PT/NPT SIZE	PART NO.	A1	A2	E	F
3/8	3/8	SEL03	25.5	25.5	9.5	22
1/2	1/2	SEL04	32.5	32.5	12	27

- 除非另有說明, 否則所有尺寸單位均為 mm。
- 數值若是分數, 表示其單位是 inch.
- 上述尺寸僅供參考, 修改不另行通知。
- ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.
- FRACTIONAL NUMBERS MEAN INCH SIZE.
- DIMENSIONS SHOWN ARE FOR REFERENCE ONLY AND SUBJECT TO CHANGE.


- 除非另有說明, 否則所有尺寸單位均為 mm。
- 數值若是分數, 表示其單位是 inch.
- 上述尺寸僅供參考, 修改不另行通知。
- ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.
- FRACTIONAL NUMBERS MEAN INCH SIZE.
- DIMENSIONS SHOWN ARE FOR REFERENCE ONLY AND SUBJECT TO CHANGE.

T
內螺紋三通
TEE




英制 (FRACTIONAL)					
P FEMALE PT/NPT SIZE	PART NO.	A	E	F	K
1/8	T01	23.5	8.5	14	47.0
1/4	T02	25.0	11.0	17	50.0
3/8	T03	30.0	14.0	22	60.0
1/2	T04	30.0	18.0	27	60.0
3/4	T06	39.0	22.0	34	78.0
1	T08	53.0	29.0	50	106.0

BT
中心外螺紋三通
BRANCH TEE




英制 (FRACTIONAL)								
P FEMALE PT/NPT SIZE	P MALE PT/NPT SIZE	PART NO.	A1	A2	E1	E2	F	K
1/8	1/8	BT01	23.5	23.5	8.5	5.0	14	47.0
1/4	1/4	BT02	25.0	25.0	11.0	7.0	17	50.0
3/8	3/8	BT03	30.0	30.0	14.0	9.5	22	60.0
1/2	1/2	BT04	36.0	36.0	18.0	12.0	27	72.0
3/4	3/4	BT06	45.0	45.0	22.0	15.0	34	90.0

MT
外螺紋三通
MALE TEE



英制 (FRACTIONAL)					
P MALE PT/NPT SIZE	PART NO.	A	E	F	K
1/8	MT01	20.0	5.0	12	40.0
1/4	MT02	23.0	7.0	14	46.0
3/8	MT03	27.0	9.5	17	54.0
1/2	MT04	31.5	12.0	22	63.0
3/4	MT06	36.0	15.0	27	72.0

ST
邊外螺紋三通
STREET TEE



英制 (FRACTIONAL)								
P FEMALE PT/NPT SIZE	P MALE PT/NPT SIZE	PART NO.	A1	A2	E1	E2	F	K
1/8	1/8	ST01	23.5	23.5	8.5	5.0	14	47.0
1/4	1/4	ST02	25.0	25.0	11.0	7.0	17	50.0
3/8	3/8	ST03	30.0	30.0	14.0	9.5	22	60.0
1/2	1/2	ST04	36.0	36.0	18.0	12.0	27	72.0
3/4	3/4	ST06	45.0	45.0	22.0	15.0	34	90.0

- 除非另有說明, 否則所有尺寸單位均為 mm。
- 數值若是分數, 表示其單位是 inch。
- 上述尺寸僅供參考, 修改不另行通知。
- ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.
- FRACTIONAL NUMBERS MEAN INCH SIZE.
- DIMENSIONS SHOWN ARE FOR REFERENCE ONLY AND SUBJECT TO CHANGE.

- 除非另有說明, 否則所有尺寸單位均為 mm。
- 數值若是分數, 表示其單位是 inch。
- 上述尺寸僅供參考, 修改不另行通知。
- ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.
- FRACTIONAL NUMBERS MEAN INCH SIZE.
- DIMENSIONS SHOWN ARE FOR REFERENCE ONLY AND SUBJECT TO CHANGE.

JIC 37° FITTING ORDERING INFORMATION


JIC 37° (AN) 接頭選型表

BS6 -	PH	03	R	03
產品大類及材質	產品名稱	螺紋尺寸 (英制)	螺紋種類	JIC 37° 尺寸
CLASSIFICATION & MATERIAL	PRODUCT NAME	THREAD SIZE (FRACTIONAL)	THREAD TYPE	JIC 37° SIZE
BS6:接頭類 SS316L SS316L FITTING	TH:JIC 37°由任直接頭 JIC 37° EQUAL UNION	01:1/8"	R:BSPT 螺紋 BSPT THREAD	02:1/4"
BS4:接頭類 SS304 SS304 FITTING	PH:JIC 37°外螺紋直接頭 JIC 37° FLARED MALE CONNECTOR	02:1/4"	N:NPT 螺紋 NPT THREAD	03:3/8"
BBR:接頭類 銅 C3604 / C3771 BRASS C3604 / C3771 FITTING	PHF:JIC 37°內螺紋直接頭 JIC 37° FLARED FEMALE CONNECTOR	03:3/8"	*TH 系列無需填寫 *NULL FOR TH CONNECTOR	04:1/2"
	PHE:JIC 37°外螺紋彎接頭 JIC 37° FLARED MALE ELBOW	04:1/2"		05:5/8"
		06:3/4"		06:3/4"
		08:1"		08:1"

JIC 37°螺紋尺寸 (in.) JIC 37° THREAD SIZE (in.)
02{1/4"} : 7/16-20UNF
03{3/8"} : 9/16-18UNF
04{1/2"} : 3/4-16UNF
05{5/8"} : 7/8-14UNF
06{3/4"} : 1-1/16-12UN
08{1"} : 1-5/16-12UN

TH


JIC 37°由任直接頭 JIC 37° EQUAL UNION



英制 (FRACTIONAL)					
P1	P2	PART NO.	A	E	F HEX FLAT
1/4	1/4	TH0202	34	5.0	14
3/8	3/8	TH0303	34.5	7.0	14
1/2	1/2	TH0404	40	9.5	19
5/8	5/8	TH0505	44.5	12.0	22
3/4	3/4	TH0606	48	15.0	27
1	1	TH0808	56	20.0	35

PH

JIC 37°外螺紋直接頭 JIC 37° FLARED MALE CONNECTOR




英制 (FRACTIONAL)					
P1 MALE PT/NPT SIZE	P2	PART NO.	A	E	F HEX FLAT
1/8	1/4	PH01R02	30	5	14
1/8	3/8	PH01R03	30	5	14
1/4	1/4	PH02R02	33	5	14
1/4	3/8	PH02R03	33.5	7	14
1/4	1/2	PH02R04	36.2	7	19
3/8	1/4	PH03R02	34.5	5	17
3/8	3/8	PH03R03	34.5	7	17
3/8	1/2	PH03R04	37.5	10	19
1/2	1/4	PH04R02	38	5	22
1/2	3/8	PH04R03	38	7	22
1/2	1/2	PH04R04	40.7	10	22
1/2	5/8	PH04R05	43	12	24
1/2	3/4	PH04R06	45	12	27
3/4	1/2	PH06R04	43.7	10	27
3/4	5/8	PH06R05	46	12	27
3/4	3/4	PH06R06	47	15	27
3/4	1	PH06R08	52	15	35
1	3/4	PH08R06	52	15	35
1	1	PH08R08	55	20	35

- 除非另有說明, 否則所有尺寸單位均為 mm。
- 數值若是分數, 表示其單位是 inch。
- 上述尺寸僅供參考, 修改不另行通知。
- ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.
- FRACTIONAL NUMBERS MEAN INCH SIZE.
- DIMENSIONS SHOWN ARE FOR REFERENCE ONLY AND SUBJECT TO CHANGE.

PHF

JIC 37°內螺紋直接頭

JIC 37° FLARED FEMALE CONNECTOR




英制 (FRACTIONAL)					
P1 FEMALE PT/NPT SIZE	P2	PART NO.	A	E	F HEX FLAT
1/8	1/4	PHF01R02	29	5	14
1/4	1/4	PHF02R02	30	5	17
1/4	3/8	PHF02R03	30	7	17
3/8	1/4	PHF03R02	31	5	22
3/8	3/8	PHF03R03	31	7	22
3/8	1/2	PHF03R04	33.7	10	22
1/2	1/4	PHF04R02	34	5	27
1/2	3/8	PHF04R03	34	7	27
1/2	1/2	PHF04R04	36.7	10	27
1/2	5/8	PHF04R05	38.5	12	27
1/2	3/4	PHF04R06	40	15	27
3/4	1/2	PHF06R04	40.7	10	32
3/4	3/4	PHF06R06	44	15	32

- 除非另有說明, 否則所有尺寸單位均為 mm。
- 數值若是分數, 表示其單位是 inch.
- 上述尺寸僅供參考, 修改不另行通知。
- ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.
- FRACTIONAL NUMBERS MEAN INCH SIZE.
- DIMENSIONS SHOWN ARE FOR REFERENCE ONLY AND SUBJECT TO CHANGE.

PHE

JIC 37°外螺紋彎接頭

JIC 37° FLARED MALE ELBOW



英制 (FRACTIONAL)						
P1 MALE PT/NPT SIZE	P2	PART NO.	A1	A2	E	F HEX FLAT
1/8	1/8	PHE01R01	24	24	5	14
1/4	1/4	PHE02R02	23	23	5	14
3/8	3/8	PHE03R03	27	27	7	17
1/2	1/2	PHE04R04	32	32	10	22
3/4	3/4	PHE06R06	37.5	37	15	27
1	1	PHE08R08	45	45	21	34

- 除非另有說明, 否則所有尺寸單位均為 mm。
- 數值若是分數, 表示其單位是 inch.
- 上述尺寸僅供參考, 修改不另行通知。
- ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.
- FRACTIONAL NUMBERS MEAN INCH SIZE.
- DIMENSIONS SHOWN ARE FOR REFERENCE ONLY AND SUBJECT TO CHANGE.

FAST-IN FITTING ORDERING INFORMATION


快擰式接頭選型表

BS6 -	NMC	02	01-	R	
產品大類及材質	產品名稱	軟管尺寸 (英制)	軟管尺寸 (公制)	螺紋尺寸	螺紋種類
CLASSIFICATION & MATERIAL	PRODUCT NAME	HOSE SIZE	HOSE SIZE	THREAD SIZE	THREAD TYPE
		(FRACTIONAL)	(METRIC)		
BS6:接頭類 SS316L	NMC:快擰式外螺紋直接頭	02 :1/4"	6 :6mm	01:1/8"	R:BSPT 螺紋
SS316L FITTING	FAST-IN MALE CONNECTOR				BSPT THREAD
BS4:接頭類 SS304	NFC:快擰式內螺紋直接頭	03 :3/8"	10:10mm	02:1/4"	N:NPT 螺紋
SS304 FITTING	FAST-IN FEMALE CONNECTOR				NPT THREAD
BBR:接頭類 銅 C3604 / C3771	NME:快擰式外螺紋彎接頭	04 :1/2"	12:12mm	03:3/8"	
BRASS C3604 / C3771 FITTING	FAST-IN MALE ELBOW			04:1/2"	

NMC

快擰式外螺紋直接頭

FAST-IN MALE CONNECTOR




英制 (FRACTIONAL)							
HOSE SIZE	P	PART NO.	A	E	B	F HEX FLAT	G
1/4	1/8	NMC0201	27.5	3	5.4	12	12
1/4	1/4	NMC0202	30.5	3	5.4	14	12
1/4	3/8	NMC0203	31.5	3	5.4	17	12
1/4	1/2	NMC0204	36	3	5.4	22	12
3/8	1/8	NMC0301	30.0	5	8.8	14	14
3/8	1/4	NMC0302	34.0	5	8.8	14	14
3/8	3/8	NMC0303	34.0	5	8.8	17	14
3/8	1/2	NMC0304	39.0	5	8.8	22	14
1/2	1/8	NMC0401	32.5	5	10.8	17	19
1/2	1/4	NMC0402	35.5	7	10.8	17	19
1/2	3/8	NMC0403	36.5	7	10.8	17	19
1/2	1/2	NMC0404	39.5	7	10.8	22	19

公制 (METRIC)							
HOSE SIZE	P	PART NO.	A	E	B	F HEX FLAT	G
6	1/8	NMC601	27.5	3	5.4	12	12
6	1/4	NMC602	30.5	3	5.4	14	12
6	3/8	NMC603	31.5	3	5.4	17	12
6	1/2	NMC604	36	3	5.4	22	12
10	1/8	NMC1001	32.5	5	8.3	17	17
10	1/4	NMC1002	35.5	6	8.3	17	17
10	3/8	NMC1003	37	6	8.3	17	17
10	1/2	NMC1004	41	6	8.3	22	17
12	1/8	NMC1201	32.5	5	10.8	17	19
12	1/4	NMC1202	35.5	7	10.8	17	19
12	3/8	NMC1203	37	7	10.8	17	19
12	1/2	NMC1204	41	7	10.8	22	19

- 除非另有說明, 否則所有尺寸單位均為 mm。
- 數值若是分數, 表示其單位是 inch。
- 上述尺寸僅供參考, 修改不另行通知。
- ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.
- FRACTIONAL NUMBERS MEAN INCH SIZE.
- DIMENSIONS SHOWN ARE FOR REFERENCE ONLY AND SUBJECT TO CHANGE.

NFC
快擰式內螺紋直接頭
FAST-IN FEMALE CONNECTOR




英制 (FRACTIONAL)							
HOSE SIZE	P	PART NO.	A	E	B	F HEX FLAT	G
1/4	1/8	NFC0201	26.0	3	5.4	14	12

公制 (METRIC)							
HOSE SIZE	P	PART NO.	A	E	B	F HEX FLAT	G
6	3/8	NFC603	28	3	5.4	22	12
8	1/8	NFC801	28	5	6.8	14	14

- 除非另有說明, 否則所有尺寸單位均為 mm。
- 數值若是分數, 表示其單位是 inch.
- 上述尺寸僅供參考, 修改不另行通知。
- ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.
- FRACTIONAL NUMBERS MEAN INCH SIZE.
- DIMENSIONS SHOWN ARE FOR REFERENCE ONLY AND SUBJECT TO CHANGE.

NME
快擰式外螺紋彎接頭
FAST-IN MALE ELBOW



英制 (FRACTIONAL)								
HOSE SIZE	P	PART NO.	A1	A2	E	B	F HEX FLAT	G
1/4	1/8	NME0201	20	18	3	5.4	12	12
1/4	1/4	NME0202	22.5	22.5	3	5.4	14	12
3/8	1/4	NME0302	23.5	23.2	5	8.8	14	14

公制 (METRIC)								
HOSE SIZE	P	PART NO.	A1	A2	E	B	F HEX FLAT	G
6	1/8	NME601	20	18	3	5.4	12	12
6	1/4	NME602	22.5	22.5	3	5.4	14	12
8	1/4	NME802	23.5	23.5	5	6.8	14	14

- 除非另有說明, 否則所有尺寸單位均為 mm。
- 數值若是分數, 表示其單位是 inch.
- 上述尺寸僅供參考, 修改不另行通知。
- ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.
- FRACTIONAL NUMBERS MEAN INCH SIZE.
- DIMENSIONS SHOWN ARE FOR REFERENCE ONLY AND SUBJECT TO CHANGE.

www.yeanhern.com

